



jetouroman.com



محسن حيدر درويش للمركبات ش م م MOHSIN HAIDER DARWISH AUTOMOBILES L.L.C.





Sporty Design · Advanced Tech · Efficient Fuel Consumption







APPEARANCE

Customized for Oman Inherited outstanding appearance



Sporty bumper, dual exhaust pipes with electroplating, central grille.

[•] 20-inch aluminum alloy wheels, new body color wheel eyebrows.

 Automatic anti-dazzle interior rear view mirror, Rearview mirror flowing-water turn signal.

Intelligent LED matrix daytime running lights.

1.1m² ultra-wide-angle integrated panoramic sunroof.

SPACE

Large capacity brings comfortable space

- ⁴⁷²⁰mm, 1710mm cross-class length and height
- ¹1900mm three-dimensional depth, 1500mm body lateral space
- 2745mm, 1608/1603mm ultra-stable longitudinal wheelbase, transverse wheelbase



SPACE Large capacity brings comfortable space



- 1.5T+6DCT turbocharged power train
- 156HP maximum output power, reaching maximum thermal efficiency of 37.1%
- Increased power of 8% and reduced fuel consumption of 5% in comparison to models at the same level






- Ceiling-mounted luggage rack
- Interior air real-time purification system
- ³⁶ decibel library-class ultra-quiet cockpit

- 7 Combination Seats
- [■]3rd generation PEPS keyless start configuration
- ¹10.1 inch central control large screen

INTERIOR

Considerate configuration to create a comfortable environment





INTELLIGENT

Equipped with technology for stable and convenient driving



360° HD Parking System (AVM)
Rear Blind Spot Detection System (BSD)
Anti-fatigue Lane Departure Warning System (LDW)
Electronic Micro-Motion Cruise Control



SAFETY

Formidable design for a worry-free journeys

- High strength cage body
- Independent multi-link rear suspension with stabilizer bar
- [•]Main/passenger airbags, front/rear side airbags
- Bosch 9th generation ESP



	Standard	Comfort	
Engine	SQRE4T15	BC	
Transmission	6DCT	6DCT	
Length*width*height(mm)	4720*1900*169	4720*1900*1695(1710)	
Max speed(km/h)	180		
Body			
_ength	4720		
Width	1900		
Height	1695/171	1695/1710	
Wheelbase	2745	2745	
Front tread	1608	1608	
Rear tread	1603	1603	
Kerb weight(kg)	1545(5seater)/1560	1545(5seater)/1560(5+2seater)	
Door number	5		
Seats number	7		
Fuel tank capacity(L)	55		
Engine			
Engine type	SQRE4T1	5C	
Displacement(ml)	1498		
Cylinder arrangement	L		
Number of cylinders (pieces)	4		
Number of valves per cylinder (pieces)	4		
Compression ratio	9.5		
Valve timing mechanism	/		
The cylinder diameter (mm)	77		
Stroke (mm)	80.5		
Maximum horsepower (Ps)	156.4		
Maximum power (kW)	115		
Maximum power speed (RPM)	5500		
Maximum torque (N·m)	230		
Maximum torque speed (RPM)	1750-4000		
Fuel label	92		
Cylinder head material		Aluminium alloy	
Cylinder body material	Iron		
Transmission			
Abbreviation	6DCT		
Gear number	6		
Transmission type			
Drive mode	FF	FF	
Front suspension type	Macpherson independ	Macpherson independent suspension	
Rear suspension type		Multi-link independent suspension with stabilizer bar	
Power type		Electric energy saving assistance	
Car body structure	Load suppor	•	
Chassis steering			
Front brake type	Disc brak	e	
Rear brake type		Disc brake	
Parking brake type		Convenient EPB electronic parking brake system	
Front tire specification		255/45 R20	
Rear tire specification	255/45 R20		
Spare tire specifications	200/4011		

Safety equipment		
Main/copilot driver seat airbag	Driver /copilot	Driver /copilot
Front/back side airbags	• /-	• /-
TPMS(Tire Pressure Monitoring System)	•	•
Pilot/first officer seatbelt not wearing warning	●/●	•/•
ISOFIX-Child seat latch	•	•
EMMO	•	•
Internally operated central door locking	•	•
Remote folding remote key	-	-
Alloy mechanical key	-	-
One-key remote control smart key (spiritual touch key)	•	•
PEPS keyless startup system	•	•
PEPS keyless access system	•	•
Key - sensing headlight opening system	•	•
Operation equipment		
ABS(Anti-lock Brake System)	•	•
EBD	•	•
EBA	•	•
TCS	•	•
ESP	•	•
Start assist system	-	-
Hill-start Assist ControL	•	•
AUTOHOLD	•	•
Exterior equipment		-
1.1 square meters of super wide Angle panoramic skylight	•	•
Sports appearance kit	•	•
Aluminum alloy rim	•	•
Electric suction stern door	•	•
Electric control trunk	•	•
Memory anti - clip automatic induction tail door	-	•
Matte film on B/C pillars	•	•
Shiny window trim	•	•
Fully chrome plated protective door handle	-	•
Engine cover	•	
	•	•
Aggregating forward hatch trim hood	-	•
Common antenna	-	-
Shark fin antenna	•	•
Ceiling rack	•	•
Engine compartment hydraulic brace	•	•
PU steering wheel	-	-
Leather steering wheel	•	•
Sport utility steering wheel	٠	•
Electronic micromotion cruise at constant speed	•	•
Intelligent pre-warning radar	-	•
Intelligent early warning post parking radar	•	•
Reversing camera	•	•
Hd driving computer display screen	•	•
4.3-inch intelligent display computer screen	-	-
12.3-inch smart LCD instrument	•	•
Back door electronic lock	•	•

Intelligent colorful rhythn Interior ambient light Fashion welcome pedal All-metal glossy pedals 360-degree first-class all Pearl color full car backlig There are 2 on-board 12' Trunk cover curtain (5 /7 Ceiling handle with damp

Car eyeglass case Seats

The seat material Manual six-direction con Electrical six-direction con Manual four-direction co Second row back Angle a Front row open central a Middle Armrest Leather front armrest bo

Practical rear – row cup Multimedia equipment

Mobile navigating syster Intelligent cloud voice ini Positioning interactive sc Large 10.1-inch central c Outside temperature dis Bluetooth/car phone Mobile mapping Internet connectivity in c Vehicle-mounted WiFi Multi-function front USE rear USB

Multimedia system Speaker number

Lighting configuration

The eagle guided the heat LED head lamp LED tail lamp Matrix LED smart day lig Steering auxiliary light Trunk lamp Hd LED rearview mirror Rearview mirror integrat Headlights are adjustable Glass/rearview mirror

Front / rear electric wind Four-door window one-k Four doors of green glass Electric adjustment of the

il + super clear door welcome light al-soft interior klight button 12V power ports 12V			
Image: Image	thmic atmosphere lamp	-	-
il + super clear door welcome light al-soft interior klight button 12V power ports 12V		-	•
It super clear door welcome light - S ● S ● Bl-soft interior ● Klight button ● 12V power ports ● 7 seats) ● Ty seats) ● ontrol driver seat ● control copilot seat ● larmest ● pholder ● teatmer ● isrmest ● lootrol sceen ● isplay ● cars - cars - cars - cars - cars - cars - iglights ● iglights ● cars - iglight ● iglight ● iglight ● iglight ●	al	•	
s and a line of the form of the set of the s	al + super clear door welcome light		
klight button Image: Control driver seat Image: Control driver seat Image: Control driver seat control driver seat Image: Control driver seat Image: Control driver seat control driver seat Image: Control driver seat Image: Control driver seat control driver seat Image: Control driver seat Image: Control driver seat control driver seat Image: Control driver seat Image: Control driver seat control driver seat Image: Control driver seat Image: Control driver seat control driver seat Image: Control driver seat Image: Control driver seat control driver seat Image: Control driver seat Image: Control driver seat control driver seat Image: Control driver seat Image: Control driver seat control driver seat Image: Control driver seat Image: Control driver seat control driver seat Image: Control driver seat Image: Control driver seat control driver seat Image: Control driver seat Image: Control driver seat control driver seat Image: Control driver seat Image: Control driver seat control driver seat Image: Control driver seat Image: Control driver seat control driver seat Image: Control driver seat Image: Control driver seat control driver seat Image: Control driver seat Im	s	•	•
12V power ports /- /- /- /- /- /- mping device /- /- /- mping device /- /- mping device /- /- ontrol driver seat /- /-	all-soft interior	•	•
12V power ports /- /- /- /- /- /- mping device /- /- /- mping device /- /- mping device /- /- ontrol driver seat /- /-		•	•
/7 seats) ● / - ● / - mping device ● ● Ieather Ieather ● ontrol driver seat ● ● control copilot seat ● ● a adjustment (A/6 Split) ● ● l armrest ● ● mode ● ● box ● ● p holder ● / ● ● box ● ● p holder ● / ● ● t ● / ● ● en(GPS) - - interaction - - service - - l control screen ● ● lisplay ● ● it - - it - <		•	•
mping deviceImage: Control driver seatImage: Control dri	/7 seats)	•/-	•/-
Ieather Ieather ontrol driver seat - control copilot seat - e adjustment (4/6 Split) • armrest • iarmrest • medify • iarmrest • isplay • isplay • iarmet • <	mping device	•	•
ontrol driver seatcontrol copilot seate adjustment (4/6 Split)a armrestarmrestboxp holdertt <td></td> <td>•</td> <td>•</td>		•	•
ontrol driver seatcontrol copilot seate adjustment (4/6 Split)a armrestarmrestboxp holdertt <td></td> <td></td> <td></td>			
control driver seat - ● control copilot seat ● ● e adjustment (4/6 Split) ● ● larmrest ● ● box ● ● p holder ●/● ●/● em(GPS) - - interaction - - service - - 1 control screen ● ● isplay ● ● service - - control screen ● ● isplay ● ● service - - control screen ● ● service - - control screen ● ● service - - service - - service ● ● service ● ● </td <td></td> <td>leather</td> <td>leather</td>		leather	leather
control copilot seate adjustment (4/6 Split)l armestboxp holderm(GPS)interaction-service-l control screenlisplay0tarsinterface0interface1-interfaceighthi- <t< td=""><td>ontrol driver seat</td><td>•</td><td>-</td></t<>	ontrol driver seat	•	-
e adjustment (4/6 Split) armrest armrest box box box box box box box box box bo	control driver seat	-	•
e adjustment (4/6 Split) armrest armrest box box box box box box box box box bo	control copilot seat	•	•
I armrestImage: Constraint of the second	e adjustment (4/6 Split)		•
box Image: Constraint of the second of the sec	l armrest	•	•
p holder		•/•	•/•
them(GPS) - - interaction - - service - - I control screen • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • • •<	box	•	•
em(GPS)interactionservice1 control screen••fisplay••fisplay••a carsa carsiSB interface••b b b b b b b b b b b b b b b b b b b	p holder	•/•	•/•
em(GPS)interactionservice1 control screen••fisplay••fisplay••a carsa carsiSB interface••b b b b b b b b b b b b b b b b b b b	nt		
service	tem(GPS)	-	-
l control screen lisplay lisp	interaction	-	-
fisplayImage: Constraint of the sector of the s	service	-	-
Image: Section of the section of t	l control screen	•	•
n cars	display	•	•
n cars		•	•
i		•	•
B interface B interface B interface D UD DVD DVD B C DVD DVD B C DVD DVD	n cars	-	-
Image: constraint of the sector of the se	i	-	-
DVD DVD 6 6 headlights - - - - - light - : -	SB interface	•	•
6 6 headlights - - - - - light - ight <		•	•
headlights		DVD	DVD
headlights - - - - - light - i - light - r laser light - or laser light - ndow turn signal (anhydrous) - ble in height - or laser light - or laser light - ass -		6	6
- ight ight ieight	n		
Iight Image: Constraint of the second of t	headlights	•	-
light ● i:		-	•
i ender anti-clip function ender a set of the set of th		•	•
Image: start light Image: start light or laser light Image: start light tated flow turn signal (anhydrous) Image: start light ble in height Image: start light dow Image: start light tated flow turn signal (anhydrous) Image: start light dow Image: start light tated flow turn signal (anhydrous) Image: start light dow Image: start light tated flow turn signal (anhydrous) Image: start light	light	•	•
or laser light - • • • • • • • • • • • • • • • • • •	t .	•	•
rated flow turn signal (anhydrous) 		•	•
rated flow turn signal (anhydrous) 	or laser light	-	•
ble in height ndow Action Action Action ass ble in height	rated flow turn signal (anhydrous)	•	•
ndow	ble in height	•	•
ndow Image: A constraint of the second	r		
ass • • •	indow	•/•	•/•
ass • • •	e-key lifting belt anti-clip function		
	ass	•	•
	the rear view mirror	•	•

Rearview mirror electric heating	•	•
Manual internal rearview mirror for glare protection	•	-
Internal automatic blinding rearview mirror	-	•
Interface of internal rearview mirror dash recorder	•	•
Automatic folding of the rear view mirror	•	•
Rear windshield wiper	•	•
Boneless wipers	•	•
AC		
Electric heating and cooling air conditioning	•	•
Backseat air outlet (5/7 seats)	•	•
In-car air real-time purification system	-	-
High tech Configuration		
Anti-fatigue lane departure warning system	•	•
Blind area monitoring automatic warning function	•	•
Keyless intelligent start · J-Voi voice control entry	-	-
Keyless intelligent startup · J-Apps hands control keys intelligently	-	-
Keyless smart startup · J-Watch bracelet with intelligent key control	-	-
Panoramic camera (3D panoramic parking)	•	•
Driving recording function	•	•
Intelligent air purification system	-	
Mobile phone wireless charging	•	•
Vehicle remote control	-	-
remote boot	-	-
One-click maintenance reservation	-	-
Driving behavior analysis	-	-
Application of mall	-	-
OTA online upgrade service Standard equipment Remote real-time vehicle condition query diagnosis	- Not available	-
ietour interactive system	-	-



The contents of this catalogue are compiled according to the information of vehicle configuration status at the time of printing. We reserve the right to change any information in the catalog without prior notice.